

Temperature Statement for Antigua – April 2013



Dale C. S. Destin

[Antigua and Barbuda Meteorological Service Climate Section](#)
[mail](#) | [twitter](#) | [facebook](#) | [youtube](#) | [blog](#)

May 13, 2013

[Please take our Weather Survey](#)

Cool April...

The island experienced below normal temperature during April with a mean daily temperature of 25.8°C. April 14 and 29 tied for the warmest days with 26.7°C, and the coldest was April 17 with 24.3°C. There was no heat or cold wave during the month; however, there were 13 cool days, three warm nights and four cool nights. Further, the temperature for February to April (FMA) was also below normal.

Based on various models, trends, climatology and subjective input, above normal temperatures are mostly likely for May and MJJ.

Period	Temperature (°C)			Description (1981 – 2010)	Temperature (°C) Record (1971 – 2013)			
	Previous Month(s)	Actual	Normal (1981 – 2010)		Max	Year	Min	Year
1(Apr)	25.8	26.3	- 0.5	Below normal	27.3	'98 '87	25.2	'85 '76
3(Feb – Apr)	25.4	25.7	- 0.3	Below normal	26.7	1998	24.3	1976

Table 1: Temperature (°C) over the past year.

Temperature Description

The following definitions are being used based on the 1981 to 2010 temperature dataset:

- **Well Below normal:** Temperature values in the lowest 10% of the dataset
- **Below Normal:** Temperature values in the lowest 33.3% of the dataset
- **Near Normal:** Temperature values in the middle 33.3% of the dataset
- **Above Normal:** Temperature values in the highest 33.3% of the dataset
- **Well Above Normal:** Temperature values in the highest 10% of the dataset
- **Heat Wave:** At least 6 consecutive days with the maximum temperature in the top 10% of the dataset.
- **Cold Wave:** At least 6 consecutive days with the minimum temperature in the lowest 10% of the dataset.

This statement is most valid for the V. C. Bird International Airport and surroundings.

Disclaimer

The information contained herein is provided with the understanding that the Antigua and Barbuda Meteorological Service makes no warranties, either expressed or implied, concerning the accuracy, completeness, reliability, or suitability of this statement. The information may be used freely by the public with appropriate acknowledgement of its source, but shall not be modified in content and then presented as original material.

Note: The issuing of a formal temperature statement by the Antigua and Barbuda Met Service is not to be taken to mean that there are unprecedented temperature values. Rather, the Met Service in harmony with its mission has seen the need to provide this statement to inform the public regarding the temperature being experienced in Antigua and Barbuda.