

Temperature Statement for Antigua – January 2013



Dale C. S. Destin

[Antigua and Barbuda Meteorological Service Climate Section](#)
[mail](#) | [twitter](#) | [facebook](#) | [youtube](#) | [blog](#)

February 8, 2013

Near normal temperature for January

The island experienced near normal temperature during January with a mean daily temperature of 25.3°C. The warmest day was January 4 with 26.3°C, and the coldest day was January 11 with 24.0°C. There was no heat or cold wave during the month; however, January had six cool days, three warm nights and one cool night. Further, the temperature for November to January (NDJ) was also near normal.

Based on various models, trends, climatology and subjective input, near normal the temperature is mostly likely for February and for FMA.

Period	Temperature (°C)			Description (1981 – 2010)	Temperature (°C) Record (1971 – 2012)			
	Actual	Normal (1981 – 2010)	Anomaly (1981 – 2010)		Max	Year	Min	Year
1(Jan)	25.3	25.4	- 0.1	Near normal	26.2	2002	23.8	1976
3(Nov – Jan)	26.1	26.0	+ 0.1	Near normal	27.2	1997	24.9	1975

Table 1: Temperature (°C) over the past year.

Temperature Description

The following definitions are being used based on the 1981 to 2010 temperature dataset:

- **Well Below normal:** Temperature values in the lowest 10% of the dataset
- **Below Normal:** Temperature values in the lowest 33.3% of the dataset
- **Near Normal:** Temperature values in the middle 33.3% of the dataset
- **Above Normal:** Temperature values in the highest 33.3% of the dataset
- **Well Above Normal:** Temperature values in the highest 10% of the dataset
- **Heat Wave:** At least 6 consecutive days with the maximum temperature in the top 10% of the dataset.
- **Cold Wave:** At least 6 consecutive days with the minimum temperature in the lowest 10% of the dataset.

This statement is most valid for the V. C. Bird International Airport and surroundings.

Disclaimer

The information contained herein is provided with the understanding that the Antigua and Barbuda Meteorological Service makes no warranties, either expressed or implied, concerning the accuracy, completeness, reliability, or suitability of this statement. The information may be used freely by the public with appropriate acknowledgement of its source, but shall not be modified in content and then presented as original material.

Note: The issuing of a formal temperature statement by the Antigua and Barbuda Met Service is not to be taken to mean that there are unprecedented temperature values. Rather, the Met Service in harmony with its mission has seen the need to provide this statement to inform the public regarding the temperature being experienced in Antigua and Barbuda.